

roduct information	
	ESS-70A-10-B/S-OR-00-20160003017 Energy storage connector, product range: ESS socket, color: orange, wire cross section: 6 mm <sup>2</sup> , rated voltage: 1000V, rated current: 70 A, connection method: copper bar/threaded hole, contact type: pin
Product advantages	
<ul> <li>Degson has its own patented desig</li> <li>There are no safety locks</li> <li>There"s a free spin of 360°</li> <li>There"s no electric shock protection</li> <li>There"s no wrong insertion or sho</li> </ul>	on
Product certification	
CE	
CE echnical data Product drawing 3D model	
echnical data Product drawing 3D model	
echnical data Product drawing 3D model	Busbar/Screw
echnical data Product drawing 3D model Wiring data	Busbar/Screw
echnical data Product drawing 3D model Wiring data Wiring mode	IP67
echnical data Product drawing 3D model Wiring data Wiring mode Environment condition	
echnical data Product drawing 3D model Wiring data Wiring mode Environment condition Protection grade (pair plug)	IP67 -40°C ~ +125°C

Plugging times	100
Insertion force	<55N
Pullout force	>10N
tandards and specifications	
Standard/Specification	UL4128
flaterial data	
Insulating material	Nylon
Halogen-free	Compliance with standards
Environmental protection matters	REACH/RoHS compliant
Sealing ring material	Silicone
Contact material	Copper alloy
Shell color	Orange
Flammability rating	UL94V-0
Electrical parameters	
Pollution level	3
Rated current	70A
	1000V
Insulation resistance	>5000ΜΩ
Contact resistance	≤0.5mΩ

Accessories

Business data	
Order number	20160003017
Packing unit	75

75
11.5