

Overview

Product information



ESS-50A-06-B/S-BK-00-20160003091

Energy storage connector, product range: ESS socket, color: black, wire cross section: 6 mm², rated voltage: 1000V, rated current: 50 A, connection method: copper bar/threaded hole, contact type: pin

Product advantages

- ☑ Degson has its own patented design
- ☑ There are no safety locks
- ☑ There"s a free spin of 360°
- ☑ There"s no electric shock protection
- ☑ There"s no wrong insertion or short circuit

Product certification



Technical data

D===		4
Prod	uci	drawing

3D model

Wiring data

Wiring mode	Busbar/Screw
-------------	--------------

Environment condition

Protection grade (pair plug)	IP67
Ambient temperature (operation)	-40°C ~ +125°C
Ambient temperature (storage/transportation)	-40°C ~ +80°C
Altitude	2000m

Mechanical properties

Plugging times	100
Insertion force	<55N
Pullout force	>10N

Standards and specifications

Standard/Specification	UL4128	

Material data

Insulating material	Nylon
Halogen-free	Compliance with standards
Environmental protection matters	REACH/RoHS compliant
Sealing ring material	Silicone
Contact material	Copper alloy
Shell color	Black
Flammability rating	UL94V-0

Electrical parameters

Pollution level	3
Rated current	50A
Nated current	1000V
Insulation resistance	>5000ΜΩ
Contact resistance	≤0.5mΩ

Accessories

Business data

Order number	20160003091
Packing unit	75

Minimum order quantity	75
Products weight (without packaging)	11.5